

MATERIAL SAFETY DATA SHEET

Prepared according to CFR 372 1910

Effective: 03/01/2006

Product Identification:

Paint Away Stripper 4© formerly "G4"©

Multiple Layer Paint Remover

SECTION 1 A - MANUFACTURER'S IDENTIFICATION

NOOP'S COUP[®], LLC
108 Route 40
Newfield, NJ 08344

Emergency Phone: 1-800-424-9300
Main Office: 1-856-358-6001
Fax Number: 1-856-358-0206

SECTION 1 B - PRODUCT INFORMATION

Trade Name: NOOP'S COUP[®] Organic Solvent Greenline "G4" Paste Formula
Type/Usage: Multiple Layer Industrial Paint/Coating Remover
DOT Shipping Name: Organic Solvent Mixture
CAS# Not Acknowledged = N/A
Health: 1 - Flammability: 0 - Reactivity: 0 (0 = Safe, 4 = Danger)

SECTION II - CHEMICAL/Common Name

N-Methyl Pyrrolidone
Soybean Oil
D'Limonene

OSHA PEL (TWA)
100 (estimate)
100
N/A

ACGIH (TLV)
100
100
N/A

CAS#
872-50-4
67784-80-9s
5989-27-5

% BY WEIGHT

SECTION III - PHYSICAL & CHEMICAL PROPERTIES

Appearance: Green Cast
Vapor Pressure: (mmHg) @ 20°C <1
% Volatile by Volume: 0%
Specific Gravity of Vapor: (H₂O=1) @ 25 / 25°C
Boiling Point: 359°F
Weight per Gallon: 8 lbs

Odor: Faint citric odor
Vapor Density: (Air=1) 0.3
Solubility (% in Water): Complete
Evaporation Rate: (Ether = 1) <1
VOC Vapro Pressure: mm HG @ 20°C = AP 0.3

SECTION IV - FIRE FIGHTING MEASURES

Flash Point: 150°F (Closed Up)
Flammable Limits: LFL: 1.3% @ 25°C; UFL: 9.5% @ 25°C
Extinguishing Media: Alcohol type foam, dry chemicals, water, fog, Co₂, water spray to cool containers.
Unusual Fire Hazards: This product is NON-FLAMMABLE, and NON-EXPLOSIVE at normal temperatures. At high temperatures, above flash point, this product may release vapors which can burn when mixed with air. If storage containers are exposed to excessive heat, over-pressurization of the container can result.

Special Fire Fighting Procedures:

Cool fire-exposed containers. Do not enter building without full protective equipment and NIOSH approved self-contained breathing apparatus.

SECTION V - STABILITY & REACTIVITY

Stability: Product is stable under normal conditions.
Conditions to Avoid: Open flames, heat and sparks.
Hazardous Decomposition Products: At high temperatures, this product decomposes to give off carbon monoxide, nitrogen oxide, and carbon dioxide fumes.
Hazardous Polymerization: Will not occur.

SECTION VI - HEALTH HAZARDS

Acute: Irritant
Chronic: None expected
Symptoms of Exposure: Redness, tearing to eyes, respiratory and skin irritation, nausea, vomiting, diarrhea.
Routes of Entry: **Inhalation:** Exposure will irritate respiratory system.
Eyes: Contact will cause irritation.
Skin: Contact will cause skin irritation or burning.
Ingestion: Swallowing will cause nausea, vomiting, diarrhea.

Emergency First Aid Procedures:

Flush eyes and skin with water for 15 minutes.
If inhaled, move to fresh air. If symptoms persist, SEEK MEDICAL ATTENTION.
If taken internally, drink large quantities of water or milk. DO NOT induce vomiting. SEEK MEDICAL ATTENTION.

Carcinogenic: No; NTP: No; LARC: No; OSHA: No; California: No

SECTION VII - SPECIAL PRECAUTIONS & SPILL LEAK PROCEDURES

Handling & Storage Precautions: Store only in tightly closed, properly labeled containers. Store in cool, dry, well ventilated area.
KEEP AWAY FROM HEAT AND FLAMES. KEEP OUT OF REACH OF CHILDREN.
Steps to be Taken in Case of Spill: Use appropriate safety equipment. Mop up, wipe up, soak up with sawdust, sand or inert materials.
Transfer to closed metal containers.
Waste Disposal: Obey all local, state and federal regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory: Chemical mist respirator in poorly ventilated areas
Ventilation: Recommended
Local Exhaust: Recommended
Protective Gloves: Neoprene, Viton or PVC coated
Eye & Face Protection: Safety goggles
Other Protective Clothing or Equipment: Waterproof boots, waterproof clothing

DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources which we believe to be reliable. However, the information is provided without warranty, expressed or implied. We do not assume responsibility and expressly disclaim liability for loss, damage or expense rising out of, or in any way connected with the handling, storage, use or disposal of the product. This MSDS may not be applicable if the product is used as a component of another product.